


Standart Profiller Standart Profiles



İÇİNDEKİLER / index


Standart Profiller / Standart Profiles



PROFIL NO	Ø D mm	s mm	Kg/m
1701	7.2	1.1	0.057
5286	10	2	0.136
7664	10	1.5	0.108
1677	11.5	1.65	0.138
4229	12	3	0.229
7399	12	2	0.170
1684	12	1	0.093
7665	13	1.5	0.146
4354	13.8	3.4	0.301
9660	14.1	4.3	0.358
3518	15.5	2.25	0.253
9535	15.5	1.5	0.178
6176	15.7	4.85	0.448
6593	15.75	1.2	0.148
5117	15.8	2	0.234
3279	15.8	1	0.126
4186	15.8	5.48	0.481
7787	15.9	1.5	0.183
4313	16	5	0.468
3048	16	4.5	0.440
6241	16	3.5	0.372
3709	16	2.5	0.287
5262	16	2	0.238
1683	16	1	0.127
10891	16.2	1.2	0.153
7527	17	3	0.357
9983	18	3	0.383
5501	18.8	1.2	0.179
3517	19	2.5	0.351
3109	19	1.5	0.223
6393	19	1.2	0.181
1563	19.5	1.25	0.194
1479	19.5	1	0.157
4988	19.6	1.55	0.239
4329	19.8	3.85	0.522
6660	19.8	3	0.429
4328	19.8	7.4	0.781
4038	20	2	0.306
5332	20.15	1.5	0.238
6112	22	7	0.893

PROFIL NO	Ø D mm	s mm	Kg/m
3892	22	4	0.612
6195	22	3	0.485
4375	22	2	0.340
3118	22	1.5	0.261
4131	22	1	0.178
9757	22.22	1.22	0.218
3226	22.8	1	0.183
6423	23	3.5	0.581
7526	23	3	0.510
6728	23	1.5	0.274
7606	23	1	0.187
4310	23.8	4.9	0.788
4162	24	8.5	1.121
5650	24	7.75	1.072
5651	24	6.75	0.991
4424	24	6.5	0.968
3093	24	5	0.808
3932	24	3.75	0.646
10020	24	3	0.536
7437	24	2.37	0.436
9779	24.1	1	0.196
5134	24.5	1	0.200
3057	25	9	1.225
9155	25	7.5	1.117
3055	25	6	0.970
3329	25	4.5	0.785
4549	25	4	0.715
4553	25	3.5	0.640
3326	25	3.25	0.601
6885	25	3	0.561
4353	25	2.85	0.537
4548	25	2.5	0.478
3970	25	2	0.391
4412	25	1.9	0.373
3108	25	1.5	0.300
4132	25	1	0.204
3879	26	1	0.212
8151	26.5	1.1	0.237
4125	27.5	2.5	0.532
6606	28	9	1.455

	ØD	s	
PROFIL NO	mm	mm	Kg/m
5540	28	8	1.362
3119	28	1.5	0.338
5135	28	1	0.229
9683	29.75	2.37	0.554
4254	29.8	10.65	1.736
4355	29.8	4.8	1.021
4259	30	11.5	1.811
4085	30	10.5	1.743
5356	30	10	1.702
3530	30	8	1.498
3126	30	4	0.885
3616	30	3	0.689
3890	30	3.75	0.838
4039	30	4.9	1.047
4195	30	2.5	0.585
4374	30	2	0.476
6840	30	1.5	0.363
3327	31	3.25	0.767
3056	32	11.50	2.007
3843	32	2	0.510
7344	32.4	1.2	0.318
10872	32	1.7	0.439
10380	32.2	1.2	0.317
7525	33	3	0.766
4377	33.5	13.25	2.368
6225	34	4	1.021
4368	35	13.25	2.453
8688	35	11.25	2.275
8958	35	5.5	1.381
4547	35	4	1.055
5078	35	3.5	0.938
3328	35	3.25	0.878
6103	35	3	0.817
9841	35	2	0.561
5279	36.3	8.05	1.936
6978	36.7	1.3	0.391
10871	38	2	0.613
11130	39.8	2.25	0.719
4320	40	8	2.179
6389	40	4.75	1.425




PROFIL NO	Ø D mm	s mm	Kg/m
4393	40	4	1.255
4080	40	3	0.945
4389	40	2.5	0.798
6415	40	2	0.647
4211	41.2	15.6	3.400
8516	41.4	2	0.671
9650	41.5	15.65	3.444
7343	42	1	0.349
5976	42.4	1.5	0.522
6455	42.4	1.7	0.589
7946	42.7	18.75	3.823
4468	44	2	0.715
7524	44.1	3	1.049
6387	44.5	12.15	3.346
8675	45	2.25	0.818
10765	50	1.3	0.539
6366	50	3.6	1.422
4462	50	4.85	1.864
3301	50	3	1.200
4048	50	2.5	1.011
9527	50	2.3	0.934
6531	50	2	0.817
4819	50	1.8	0.738
7803	50	1.5	0.620
5106	50	5.75	2.166
4735	51	1.5	0.632
6388	54.2	1.95	0.867
5107	54.8	16.45	5.370
4809	55	2.7	1.053
7968	55.1	1.3	0.595
5504	56	1.5	0.695
5532	59	1.5	0.734
4217	59.8	3.8	1.811
6373	59.9	1.15	0.575
9089	60	10	4.256
11453	60	4	1.907
5174	60	2.5	1.223
4458	60	2	0.987
4821	60	1.5	0.747
3935	60	1.1	0.551

PROFIL NO	ØD	s	Kg/m
	mm	mm	-
9477	64.7	2.2	1.170
6962	65	2.5	1.330
4399	65	1.2	0.651
3434	70	1.5	0.875
10024	76	3	1.864
4888	76	1.3	0.824
7760	77	20	9.705
5533	79	1.5	0.989
9537	79.6	1.8	1.192
10443	80	2	1.329
6199	80	14.7	8.172
11081	80	1.3	0.871
10892	80.2	1.1	0.741
11239	85	1.3	0.926
7312	90	2	1.498
11080	90	1.3	0.982
11079	95	1.3	1.037
3719	100	3	2.477
9088	100	10	7.662
11124	100	2.5	2.075
3455	100	1.8	1.504
3850	100	1.5	1.257
3934	100	1.2	1.005
11240	105	1.3	1.148
11082	110	1.6	1.477
9096	111	26.75	1.530
11238	115	1.6	1.545
4409	120	5	4.895
3839	120	1.6	1.612
11236	128	1.6	1.722
11078	140	1.6	1.885
11237	150	1.8	2.271
3896	152	52	44.271
4052	160	1.8	2.424








PROFÍL NO	a mm	b mm	c mm	Kg/m
6555	5	27	1.5	0.123
6056	8	70	1.5	0.302
4490	10	15	1.3	0.083
6360	10	15	1.5	0.095
1619	10	20	1.2	0.093
10091	10	24	1.4	0.123
6653	10	25	5	0.406
7394	10	30	2	0.204
1436	10	40	2	0.260
4652	12	37	2	0.253
4729	12	84.5	1.3	0.333
1556	13	35	4	0.471
9995	13.6	120.8	1.6	0.580
1338	15	10	1.3	0.077
10234	15	20	1.2	0.110
5853	15	25	5	0.473
1437	15	25	2	0.205
3155	15	30	1.2	0.146
7321	15	30	2	0.231
6588	15	40.9	1.5	0.217
9686	16	78	2	0.498
9440	17.5	82	2.5	0.656
3103	19.82	40	1.3	0.206
1278	20	30	1.3	0.171
9304	20	30	6	0.715
3903	20	40	1.5	0.235
3902	20	40	1.3	0.206
1456	20	40	1.2	0.191
3904	20	40	2	0.314
8264	20	40	3	0.463
9588	20	50	1.3	0.242
11359	20	50	2	0.369
1371	20	60	1.2	0.256
3061	20	60	1.5	0.319
9587	20	70	1.3	0.312
11360	20	70	2	0.477
11425	20	80	1.3	0.348
9804	20	100	1.5	0.482
7898	20	150	1.8	0.820
7389	21.5	40	2	0.322


PROFIL NO	Ø D mm	s mm	s mm	Kg/m
3266	24.8	49.5	3	0.573
4322	25	30	2	0.287
5965	25	35	3	0.463
8571	25	35	5	0.745
3379	25	50	2	0.395
10778	28	15	2	0.222
1404	30	10	1.2	0.124
8892	30	20	1.4	0.184
9643	30	40	2	0.368
10138	30	50	2	0.422
10139	30	70	2	0.531
10159	30	100	2	0.694
6372	40	50	5	1.151
3445	40	60	1.5	0.410
7568	40	65	5	1.354
5977	40	90	1.4	0.486
8630	40	91	5	1.704
3980	50	70	4	1.256
4298	53	60	3	0.899
4297	53	80	3	1.062
4296	53	100	3	1.224
4294	53	120	3	1.387
4295	53	140	3	1.549
4293	53	160	3	1.712
7963	65	95	2.2	0.940
1	1	1		I

PROFIL NO	а	С	Kg/m
THOTIENG	mm	mm	
1583	10	1.5	0.075
6931	12	2	0.118
3172	15	1.1	0.084
1575	15	1.5	0.115
8025	15	2.8	0.206
3058	20	1.2	0.126
6420	20	1.6	0.166
3136	20	1.9	0.196
5968	20	8	0.693
3059	25	1.2	0.158
6421	25	1.6	0.209
3256	25	2	0.260
3840	25	3	0.382
8865	25	5	0.610
1241	30	1	0.159
3060	30	1.2	0.191
3901	30	1.5	0.237
10355	30	2	0.314
1631	30	3	0.463
6422	40	1.2	0.256
3162	40	2	0.422
4077	40	3	0.626
1212	40	4	0.823
3944	40 R	4.7	0.959
4056	40	5	1.016
7472	45	2	0.476
6246	50	1.3	0.347
6752	50	2	0.530
4386	50	3	0.787
10100	50	4	1.040
9572	50	5	1.301
1211	50	5	1.287
9919	55	5	1,423
4811	60	2	0.638
8177	60	6	1.853
5209	90	48	17.167
			1
			1




PROFİL NO	a mm	b mm	c mm	d mm	Kg/m
10518	11.4	12.2	1.14	1.14	0.124
8871	15	10	1.4	1.4	0.157
10058	20	12	2	2	0.303
1652	20	18	1.5	1.5	0.282
6069	20.2	10.2	1.5	1.5	0.222
10075	24.8	13.8	2	2	0.372
3746	25	12	1.6	1.6	0.291
6511	25	15	1.5	1.5	0.300
3779	25	15.7	1.5	1.5	0.302
3018	25	17	1.2	1.2	0.257
10233	25	17	2	2	0.411
6194	25	20	1.5	1.5	0.341
10071	25	20	2	2	0.444
10076	28	17	1.35	1.35	0.298
1653	28	22	1.5	1.5	0.379
6838	30	10	1	1	0.205
10059	30	12	2	2	0.411
4019	30	15	1	1	0.233
1441	30	20	1.1	1.1	0.284
9664	30	20	1.5	1.5	0.382
1350	30	25	1.1	1.1	0.314
10119	30	25	1.5	1.5	0.422
6551	33	15	1.5	1.5	0.365
6662	33	38	3.75	3.75	1.218
5777	35	20	2	2	0.552
1475	40	15	1.1	1.1	0.318
1651	40	20	1	1	0.314
3017	40	20	1.2	1.2	0.374
4638	40	20	1.6	1.6	0.492
5490	40	20	1.9	1.9	0.551
7342	40	20	2	2	0.597
1650	40	20	2	2	0.607
6589	40	25	1.5	1.5	0.504
1349	40	30	1.1	1.1	0.404
6296	40	30	1.5	1.5	0.544
6297	40	30	2	2	0.714
11348	40	30	3	3	1.040
7663	41	26	2.5	2.5	0.840
9747	42	24.5	1.4	1.4	0.553
6672	50	15	1.2	1.2	0.407

PROFÍL NO	a mm	b mm	c mm	d mm	Kg/m
5837	50	15	2.5	2.5	0.812
9645	50	20	1.5	1.5	0.544
9642	50	20	3	1.5	0.682
10894	50	25	1.5	1.5	0.495
5402	50	25	2.9	2.9	1.087
6205	50	30	1.8	1.8	0.744
7313	50	30	2	2	0.823
9592	50	30	2	2	0.815
7722	50	30	3	3	1.202
1649	50	40	1.05	1.05	0.500
3015	50	40	1.2	1.2	0.569
3900	50	40	1.6	1.6	0.745
4454	50	40	2	2	0.932
1453	60	20	1.4	1.4	0.585
7784	60	20	3	3	1.203
7630	60	30	1.4	1.4	0.661
4524	60	40	1.7	1.7	0.890
3225	60	40	2	2	1.040
1662	63.5	25	0.8	0.8	0.376
6189	65	40	2	2	1.094
10836	68	28	0.8	0.8	0.409
1465	68	28	ر سالي	1	0.509
6663	68	33	3.75	3.75	1.819
3102	69	29	1	1	0.540
4636	69	29	2	2	1.018
11378	70	50	2	2	1.257
1689	71	31	0.8	0.8	0.434
1440	73	31	1.1	1.1	0.606
10835	75	32	0.9	0.9	0.513
3065	75	32	1.2	1.2	0.680
4637	75	32	2	2	1.116
3891	75	32	3	3	1.642
10203	80	14	1.6	1.6	0.785
3414	80	40	1.6	1.6	1.003
10840	80	40	1.6	1.6	0.996
5674	80	40	2	2	1.257
6664	80	50	1.8	1.8	1.232
4232	86.5	36.5	3	3	2.016
7646	90	45	3	3	1.800
3580	95	50	2	2	1.420










PROFİL NO	a mm	c mm	Kg/m
10766	10	1.3	0.122
6582	10	1.8	0.159
6835	12	2	0.214
7579	13.8	2	0.253
10767	14	1.3	0.179
10070	14	2	0.260
6295	15	1.5	0.218
5770	15	2	0.281
6910	16	1.5	0.236
8985	17	1.35	0.223
5491	18	1.9	0.304
3898	20	1.2	0.244
5403	20	2	0.389
1579	20	1.1	0.225
4973	25	1.8	0.435
4683	25	1.2	0.309
5385	25	2.25	0.552
8736	25	3	0.715
9475	25	5.3	1.135
6456	27.5	1.4	0.396
1559	30	1.1	0.344
9729	30	2	0.606
5739	30	2.35	0.664
4360	32	2	0.613
11120	35	2	0.713
3019	40	1.1	0.459
6238	40	1.2	0.504
4456	40	1.6	0.661
5489	40	1.9	0.757
3899	40	2	0.823
8735	40	25	1.016
5281	40	3	1.200
6245	40	4	1.560
3881	42.8	1.1	0.260
6666	45	1.8	0.842
6943	45	3	1.365
3893	50	1.2	0.634
4532	50	2	1.040
5787	50	3	1.527
9637	54.4	2	1.115


PROFİL NO	a	С	Kg/m
	mm	mm	
3237	59	2	1.237
3413	60	1.6	1.003
4359	60	2	1.257
6575	60	3	1.853
6739	69.8	1.85	1.362
3412	80	1.7	1.442
4358	80	1.7	1.406
4303	100	1.8	1.916
11136	100	2.5	2.642
9834	100	4	4.035
11137	120	3	3.805
11133	150	3	4.780
		R	
MET			










PROFIL NO	a mm	b mm	c mm	d mm	e mm	Kg/m
9400	22.8	32.9	32.9	2	2	0.458
6161	23	23	23	1.5	1.5	0.268
1495	25	25	25	1.2	1.2	0.234
10723	25	30	30	2	2	0.439
10553	25	20	20	1	1	0.169
10966	25	50	50	5	5	1.558
1214	27	30	30	3	4	0.715
9965	29	35	35	2.5	2.5	0.636
8716	30	30	30	2.3	2.3	0.523
9703	30.2	8	8	1.1	1.1	0.130
1216	33	36	36	2	4	0.704
7314	35	35	35	1.9	1.9	0.520
5121	44	16.1	16.1	2	1.5	0.336
6933	45.3	20.5	20.5	1.2	1.2	0.273
9525	45.4	15	15	1.7	1.5	0.309
10556	48	20	20	1	1	0.233
6987	48	32	32	3	3	0.861
6017	50	50	50	2.3	2.3	0.906
10558	50	20	20	2	2	0.466
4687	50	35	35	1.5	1.5	0.475
11426	50	65	65	4	4	1.859
6227	50.8	70	70	5	5	2.447
3181	53.4	8	8	2.3	2.3	0.399
5119	54	19.4	19.4	2	1.5	0.412
10156	60	60	60	2	2	0.953
7530	62	6.5	6.5	1.5	1.5	0.292
6190	70	27.5	27.5	2	2	0.656
9127	81.2	22	22	1.5	1.5	0.496
6751	83	25	25	6	6	1.967
9708	90	20	20	2	2	0.683
10662	100	21	21	1.2	1.2	0.453
7633	115	4	4	2.5	1.5	0.500









PROFIL NO	а	Ь	С	d	е	f	Kg/m
PROFIL NO	mm	mm	mm	mm	mm	mm	Kg/III
7315	7	20	8	1.5	1.5	1.5	0.129
8740	8.6	61.2	4.7	1.2	1.2	1.2	0.230
5360	13	30	12	1.8	2.8	1.8	0.276
9135	14	32	27	2	2	2	0.365
10080	15	25	12	1	1	1	0.135
7351	15.4	35	15	1.2	1.2	1.2	0.204
4752	21	9.8	6.7	1.3	1	1.3	0.107
6482	21.2	8.1	6	1.2	1.2	1.2	0.106
8861	21.3	19.5	11.1	1.2	1.2	1.2	0.161
4081	23.7	25.5	12	2	2	2	0.310
6827	24.4	30.6	15.8	2.5	2.5	2.5	0.433
10022	27.8	29.3	11.3	1.3	1.3	1.3	0.232
8907	29.4	25	10	1.2	1.6	1.2	0.230
10084	30	55	15	1.2	1.2	1.2	0.314
11483	41	20	13.7	3	2	2	0.415
10742	45	30	15	1.5	1.5	1.5	0.353
9437	47	90	17.5	2.5	2.5	2.5	1.012
			7				
					R		
			М	CT			
				C1/	10		







PROFİL NO	a mm	b mm	c mm	d mm	e mm	f mm	Kg/m
7315	7	20	8	1.5	1.5	1.5	0.129
8740	8.6	61.2	4.7	1.2	1.2	1.2	0.230
5360	13	30	12	1.8	2.8	1.8	0.276
9135	14	32	27	2	2	2	0.365
10080	15	25	12	1	1	1	0.135
7351	15.4	35	15	1.2	1.2	1.2	0.204
4752	21	9.8	6.7	1.3	1	1.3	0.107
6482	21.2	8.1	6	1.2	1.2	1.2	0.106
8861	21.3	19.5	11.1	1.2	1.2	1.2	0.161
4081	23.7	25.5	12	2	2	2	0.310
6827	24.4	30.6	15.8	25	2.5	2.5	0.433
10022	27.8	29.3	11.3	1.3	1.3	1.3	0.232
8907	29.4	25	10	1.2	1.6	1.2	0.230
10084	30	55	15	1.2	1.2	1.2	0.314
11483	41	20	13.7	3	2	2	0.415
10742	45	30	15	1.5	1.5	1.5	0.353
9437	47	90	17.5	25	2.5	2.5	1.012
					R		
			V	ET			
				-	7.6		



PROFİL NO	a mm	b mm	Kg/m
6587	10	2	0.054
4028	12	1.6	0.052
6941	12	2.5	0.081
4941	12	3	0.097
8705	12	5	0.262
1449	12.6	2.5	0.085
8926	13.9	8.9	0.335
7474	15	2	0.081
3229	15	2.5	0.100
6559	15	3	0.121
3718	15	3.1	0.126
6630	18	2.5	0.121
1573	20	2	0.108
3121	20	4.5	0.246
1243	20	5	0.271
1487	25	2	0.135
3708	25	2.5	0.169
3594	25	3	0.203
3441	25	5	0.338
8706	27	16	1.171
4312	30	2	0.162
7352	30	4	0.325
3202	30	6	0.487
4026	30	6.75	0.548
7863	30	10	0.813
6221	40	2	0.216
4534	40	3	0.325
9165	40	4	0.433
*3948	44	9.8	1.167
7341	45	12	1.463
10064	46	4	0.498
9675	55	4	0.596
9798	60	1.4	0.228
3532	60	2	0.325
7673	60	4	0.650
8618	65	14	2.466
6287	70	3	0.569
10811	70	4	0.759
5270	75	7	1.422
3176	100	3.5	0.939

PROFIL NO	a mm	b mm	Kg/m	PROFİL NO	a mm	b mm	Kg/r
3204	105	2	0.569				
3104	110	2.5	0.737				
3727	126	2.5	0.853				
4856	200	25	13.550				
						R	
				- M	ETA		
							_
							-


Standart Profiller / Standart Profiles




PROFIL NO	a mm	b mm	r mm	Kg/m
1640	10	1.2	0.5	0.031
9050	10	1.8	0.5	0.048
5492	16	5	0.5	0.216
9739	19	17	0.5	0.875
4228	20	3	0.5	0.162
8919	25	8	1	0.540
5956	25	10	2	0.668
10456	25.1	9.1	1.3	0.607
4559	25.8	9.4	1	0.654
8902	30	5	0.5	0.405
4634	35	5	0.5	0.473
4427	35	10	0.5	0.947
9461	35	10	3	0.928
10457	35.8	14	0.8	1.356
10003	39	10	0.4	1.057
4366	40	6	0.5	0.649
7557	40	8	2	0.857
7353	40	10	0.5	1.083
5878	425	5	0.5	0.575
4319	45	4	0.5	0.487
6282	50	3	0.5	0.405
6204	50	4	0.5	0.541
7597	50	5	0.5	0.676
5966	50	6	0.5	0.812
5611	50	10	0.5	1.354
4311	50	20	3	2.689
6371	53	3.5	0.5	0.502
9621	57.5	4.5	1	0.699
4526	60	5	0.5	0.812
7797	61	6	1	0.989
9931	70	10	0.5	1.896
7890	76	8	PAH	1.642
4659	80	9.9	0.5	2145
6698	80	30	5	6.445
8539	80	40	1	8.670
7933	85	5	0.5	1.152
9478	95	9	1	2315
7786	100	5	0.5	1.354
4305	100	10	1	2.707
8715	100	25	0.5	6.770

PROFIL NO	a mm	b mm	r mm	Kg/m
8496	100	30	0.5	8.129
8501	100	35	1	9.482
8540	100	50	1	13.548
5924	120	4	1	1.298
8495	120	30	0.5	9.756
8096	120	40	0.5	13.000
6233	125	3	0.5	1.015
6232	141	3	0.5	1.145
6818	150	10	0.5	4.064
7798	166	6.8	1	3.056
4378	200	6	1	3.249
V				
		7		R
		V	ICT/	
			1617	1
			1	

Standart Profiller / Standart Profiles








PROFIL NO	a mm	b mm	r mm	Kg/m
1708	10	2	1	0.051
5619	17	4	2	0.174
4179	17.7	2.8	1.4	0.129
3242	18	3	1.5	0.141
1506	20	3	1.5	0.157
6661	20	6	3	0.304
6919	21	2	1	0.111
5583	23.1	1.2	0.6	0.074
4400	25	2.8	1.4	0.185
1507	25	4	2	0.261
1489	30	3	1.5	0.238
5376	32	3	1.5	0.254
3173	34.65	2.8	1.4	0.255
1670	40	4	2	0.424
4965	40	6	3	0.629
4288	80	6	3	1.279
3352	80	7	3.5	1.480
3153	100	7	3.5	1.869
	人			


				L
PROFIL NO	a mm	b mm	c mm	Kg/m
4053	25	10	1	0.157
3656	33	14	1.2	0.254
3232	39.4	9.8	1.1	0.253
4650	39.8	20	1.9	0.496
6605	50	10	1.25	0.364
9734	54	18	2	0.378
1				
		7		
		М	ETA	


Standart Profiler / Standart Profiles











PROFİL NO	Ø D mm	Kg/m
6665	4	0.034
3167	6	0.076
3969	7	0.104
1679	7.7	0.126
3847	7.8	0.129
3070	8	0.136
4823	9	0.172
9483	9.8	0.204
3497	10	0.212
4275	12	0.306
4339	13	0.359
3072	14	0.417
3168	16	0.544
6306	17	0.615
5712	18	0.689
10083	19.9	0.843
3169	20	0.851
7371	21.05	0.943
11016	21.8	1.012
3633	22	1.030
7370	23	1.125
3604	24	1.255
4300	25	1.330
9454	[®] 25.5	1.384
3634	26	1.438
7682	28	1.668
3071	30	1.915
3637	35	2.607
5280	36.3	2.804
4178	40	3.405
6365	42.7	3.880
3632	44	4.120
9157	45	4.310
4177	50	5.321
3670	53	5.978
7931	55	6.438
3823	56	6.664
4240	60	7.662
5333	68	9.841
11454	70	10.429
4881	77	12.619